

EINLADUNG

zum Vortrag
von

Prof. Bilge Yildiz

Massachusetts Institute of Technology,
Department of Nuclear Science and Engineering Cambridge
USA

Dissimilar oxide interfaces to accelerate oxygen reduction kinetics

am

Mittwoch, 18. Dezember 2013, um 14:00

Technische Universität Wien, MB und CHEMIE - Institut
Bauteil BE Lückenbau, GM 5 Hörsaal Chemie, 1. Stock
1060 Wien, Getreidemarkt 9

Abstract:

Interfaces between dissimilar oxides are attracting significant interest for their potential role in accelerating charge transport and surface reaction kinetics. If well understood and controlled, they can provide a new way to enable highperformancesolid-oxide fuel cells, separation membranes as well as fast switching memristors. For example, recent studies have demonstrated that cobaltite hetero-interfaces exhibit orders of magnitude faster oxygen reduction kinetics compared with either single phase. The interfacial strain fields, anisotropy, and electronic interactions between the two phases are the likely mediators behind such an unprecedented enhancement. The underlying mechanisms must be understood quantitatively, so that we can go beyond isolated and empirically found interface structures to rationally designing dissimilar oxide interfaces with superior properties. Towards this goal, we have investigated the local electronic structure at nanometer resolution in model multilayer superlattices and vertical nanostructures that are made of dissimilar cobaltites. To accomplish this, we used a novel combination of *in-situ* scanning tunneling spectroscopy and focused ion beam milling. We found that the wide band-gap cobaltite is electronically activated at elevated temperatures through an interfacial coupling with a reducible cobaltite. Such electronic activation is expected to facilitate charge transfer to oxygen, and accelerate the reduction kinetics on the surface. Furthermore, based on our computational and experimental work, we have put forth elastic strain to be an important driver of the kinetics of surface reactions and diffusion in functional oxides, and demonstrated these concepts on fluorite, perovskite and Ruddlesden Popper structures. There remains still a large amount of open questions on how dissimilar oxide interfaces impact oxygen diffusion and oxygen exchange on the surfaces. However, these recent results are encouraging for an improved understanding of oxide hetero-interfaces at elevated temperatures and could enable new interfaces with fast oxygen transport and oxygen reduction kinetics.

FWF SFB F45 „Functional Oxide Surfaces and Interfaces (FOXSI)“

Prof. Günther Rupprechter (Speaker), Melanie Schärer (SFB FOXSI Secretary)
Vienna University of Technology, Institute of Materials Chemistry, 1060 Vienna, Getreidemarkt 9, Austria
Tel.: +43-(0)1 58801-165102 - Fax: +43-(0)1 58801-16599
e-mail: grupp@imc.tuwien.ac.at, e-mail: melanie.schaerer@tuwien.ac.at
web: <http://foxsi.tuwien.ac.at/>